



19 Inch Rack Mount 48V 100A DC Power Supply Telecom Rectifier System

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: shenzhen
- Brand Name: daxin
- Certification: CE,UL
- Model Number: DX-C-1k20AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden pallet+cardboard box
- Payment Terms: L/C,T/T
- Supply Ability: 10000pcs/month



Product Specification

- Cabinet Layout: One Compartment
- Mount Way: 19-inch Mount
- Product Name: AC-DC Power Supply/communication Power Supply/rack Power Supply/48V DC Power Supply
- Input Voltage: 100-240V
- Installation Method: Floor Installed
- Capacity: 48V/10A~150A
- Mtp Connector RI: ≥ 60 dB
- Surface: Outdoor Powder Coating
- Highlight: **48v dc cabinet power supply,**
48v dc communication power supply



Product Description

19 Inch Rack Mount 48V 100A DC Power Supply Telecom Rectifier System

Telecom Rectifier System Product Description:

The power supply features an Mtp Connector RL of $\geq 60\text{dB}$, which ensures that the power supply delivers clean and consistent power to your devices. This is particularly important for communication equipment, which requires stable power to function properly.

The embedded power supply brand of this product is Daxin, a well-known and respected brand in the industry. Daxin is known for producing high-quality power supplies that are reliable and efficient.

The Communication Power Supply is designed for easy installation and is compatible with 19-inch mount systems. It can be easily installed on the floor, making it an ideal choice for data centers and other environments where space is at a premium.

In addition to its high-quality construction and reliable performance, the Communication Power Supply is also versatile and can be used for a variety of applications. It is an ideal choice for high voltage power supply, ATM power supply, and high voltage DC power supply applications. Overall, the Communication Power Supply is an excellent choice for anyone who needs a reliable and efficient power supply for their communication equipment. Whether you are setting up a new data center or upgrading your existing equipment, this power supply is sure to meet your needs and exceed your expectations.

Features:

Product Name: AC-DC power supply/communication power supply/rack power supply/48V DC power supply

Humidity Range: 10% To 95%

Embedded Power Supply Brand: Daxin

Input Voltage: 100-240V

Installation Method: 19 inch rack mounted

Features:

Instrument Power Supply

ATM Power Supply

Industrial PC Power Supply

Technical Parameters:

Product Name: AC-DC power supply/communication power supply/rack power supply/48V DC power supply

Product Category: Communication Power Supply

Embedded Power Supply Brand: Daxin

Input Voltage: 100-240V

Capacity: 48V/100A

Temperature Range: -40°C To 55°C

Humidity Range: 10% To 95%

Surface: Outdoor Powder Coating

Internal Dimension: W×D×H 482.3×380×44mm

MTP Connector RL: $\geq 60\text{dB}$

Support and Services:

Our Communication Power Supply product is designed to provide reliable, high-performance power for communication equipment. Our technical support team is available to help troubleshoot any issues you may encounter with the product and to provide guidance on proper installation and maintenance.

We also offer a range of services to ensure that your Communication Power Supply operates at peak performance. These services include preventive maintenance, repair and replacement of components, and on-site support if necessary.

Our goal is to ensure that your communication equipment stays up and running with minimal downtime, and our technical support and services are an important part of achieving that goal.

Application

- (1) Small scale program controlled exchangers
- (2) Access network
- (3) Transmission equipment
- (4) Mobile communication
- (5) Satellite communication ground station
- (6) Microwave communication


Features

- (1) Adoption of active power factor compensation technology with factor >0.98
- (2) Wide operating range of AC input voltage: 90 290Vac
- (3) Operating temperature range: -25°C +55°C
- (4) Zero current/voltage switching tech with high efficiency ≥91%
- (5) Lifecycle of battery prolonged by perfect battery management, including electrical charge/discharge management, battery temperature compensation, battery capacity test, reversal connection proof protection, low voltage protection etc.
- (6) Hot-swappable
- (7) Input over/under voltage protection
- (8) Output over voltage protection
- (9) Output over current protection
- (10) Output short circuit protection
- (11) Auto current sharing, parallel output
- (12) Embedded mounting

Payment & Shipping Terms:

Minimum Order Quantity:	1 set
Price:	negotiation
Payment Terms:	L/C, D/A, D/P, , T/T, Western Union
Supply Ability:	20,000 sets per month
Delivery Time:	7-10 working days
Packaging Details:	carton/wooden case

Telecom rectifier module



Shenzhen Daxin Intelligent Equipment Technology Co., Ltd



+86 15817363697



lubenzhi@szdxzh.com



power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen