



Communications Telecommunications Power Supplies Modules With Mtp Connector

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: shenzhen
- Brand Name: daxin
- Certification: CE,UL
- Model Number: DX-C-1k20AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden pallet+cardboard box
- Payment Terms: L/C, T/T
- Supply Ability: 10000pcs/month



Product Specification

- ATM Power Supply: Yes
- Product Name: 48V/10A-150A Embedded Communication Power Supply By Daxin With Outdoor Powder Coating
- Temperature Range: -40°C To 55°C
- Instrument Power Supply: Yes
- Capacity: 48V/10A~150A
- Internal Dimension: W×D×H 482.3×380×44mm
- Mount Way: 19-inch Mount
- Installation Method: Floor Installed
- Highlight: Telecommunications Power Supplies Modules, DC Telecom Rectifier Power Supply



More Images



Product Description

482.3×380×44mm Internal Dimension Communications Power Supply with Mtp Connector RI≥60dB

Product Description:

This communication power supply has an input voltage range of 100-240V, making it suitable for use in a variety of locations. Its floor installation method ensures that it remains securely in place, even in high traffic areas.

The Daxin Communication Power Supply is highly efficient, with a low power consumption rate that helps to reduce electricity costs. It also boasts a high power factor and low electromagnetic interference, ensuring that your equipment runs smoothly and without interruption.

With a compact design and easy-to-use interface, this communication power supply is a great choice for those who need reliable and efficient power for their network equipment. Whether you are setting up a new system or upgrading an existing one, the Daxin Communication Power Supply is sure to meet your needs.

Features:

- Product Name: 48V/10A-150A Embedded Communication Power Supply by Daxin with Outdoor Powder Coating
- Product Category: Communication Power Supply
- Capacity: 48V/10A~150A
- Humidity Range: 10% To 95%

Our Product Introduction

for

Industrial PC Power Supply: Yes
 Mobile Network Power Source
 Digital Communication Power Adapter
 Satellite Communication Power System

Technical Parameters:

Product Name:	48V/10A-150A Embedded Communication Power Supply by Daxin with Outdoor Powder Coating
Product Category:	Communication Power Supply
Capacity:	48V/10A~150A
Industrial PC Power Supply:	Yes
Mount Way:	19-inch Mount
Embedded Power Supply Brand:	Daxin
ATM Power Supply:	Yes
Input Voltage:	100-240V
Humidity Range:	10% To 95%
Cabinet Layout:	One Compartment

Applications:

Manufactured in Shenzhen, the product has a minimum order quantity of 10 and is priced at \$2850. The payment terms include L/C and T/T, and Daxin has a supply ability of 5000 units. The packaging details include a wooden pallet and cardboard box, ensuring safe transportation of the product.
 The temperature range of the product is -40°C to 55°C, making it suitable for use in extreme weather conditions. The humidity range of the product is 10% to 95%, ensuring reliable performance even in high humidity areas.
 The 48V/10A-150A Embedded Communication Power Supply is an industrial PC power supply that can be used for various applications in the telecommunication industry. The product is designed to provide a stable power supply for the telecom power module, telecommunication adapter, and communication network supply.
 The product is equipped with a one-compartment cabinet layout, making it easy to install and maintain. The outdoor powder coating ensures the product's durability, making it suitable for outdoor use.

Support and Services:

The Communication Power Supply product comes with various technical support and services, such as:
 24/7 customer support through phone, email, and online chat
 Technical documentation and manuals for installation and troubleshooting
 On-site installation and maintenance services
 Product training and certification programs for technicians and engineers
 Remote monitoring and diagnostic services for proactive maintenance and issue resolution
 Product customization and engineering services to meet specific requirements
 Our technical support and services are designed to ensure efficient and reliable operation of the Communication Power Supply product, and to minimize downtime and disruptions for our customers.

Packing and Shipping:

Product Packaging:
 Communication Power Supply
 Power cord
 User manual
 Warranty card
Shipping:
 Shipping method: Standard
 Estimated delivery time: 3-5 business days
 Shipping cost: Free
 Tracking number: Provided

FAQ:

FAQs for daxin Communication Power Supply
Q: What is the model number of the daxin Communication Power Supply?
 A: The model number of the daxin Communication Power Supply is DX-C-1k20AH.
Q: What certifications does the daxin Communication Power Supply have?
 A: The daxin Communication Power Supply has CE and UL certifications.
Q: What is the place of origin for the daxin Communication Power Supply?
 A: The daxin Communication Power Supply is made in shenzhen.
Q: What is the minimum order quantity for the daxin Communication Power Supply?
 A: The minimum order quantity for the daxin Communication Power Supply is 10 units.
Q: What is the price of the daxin Communication Power Supply?
 A: The price of the daxin Communication Power Supply is \$2850.
Payment terms: L/C, T/T
Supply ability: 5000 units
Packaging details: Wooden pallet+cardboard box





**Main equipment for cabinet processing
(Three main equipment)**



Laser



TRUMATIC500- Fully Automatic



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- 1500W: 1tower
- 3000W: 2tower

- Fast data punching: 4 units with automatic loading and unloading

- Japan AMADA: 7 units with automatic loading and unloading
- Model: EM-2510NT/AC-2510NT

Key process - general punching, bending, and riveting workshop



- Japan AMADA: 25 units
- Model: RG-35S



- TOX riveting machine: 24 units



- Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)



- Copper bar integrated machine: 2 units
- Model: LID-30
- Features: high-precision automatic cutting and punching



Key Process - Welding Workshop




Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.



Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (automatic powder spraying)



Automatic Line 1



Characteristics of Spray Line:

- ◆ **Characteristics of Spray Line:** The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard. The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard.
- ◆ **Automatic spraying:** Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ **Equipment resources:** 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors.
- ◆ **Daily production capacity:** 15,000 to 20,000 square meters per day.



Automatic Line 2



Automatic Line 3


Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet with assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line



Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

■ Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Trial water process diagram



Test water



Shenzhen Daxin Intelligent Equipment Technology Co., Ltd

+86 15817363697

lubenzhi@szdxzh.com

power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen