



100-240V Input Voltage Communication Source Adapter for Outdoor Powder Coating Surface

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: shenzhen
- Brand Name: daxin
- Certification: CE,UL
- Model Number: DX-C-1k20AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden pallet+cardboard box
- Payment Terms: L/C, T/T
- Supply Ability: 10000pcs/month



Product Specification

- Features: Wireless Power Supply Unit, Telecom Power Module, Digital Communication Power Adapter
- Industrial PC Power Supply: Yes
- Certifications: CE And UL
- Input Voltage: 100-240V
- Product Category: Communication Power Supply
- Capacity: 48V/10A~150A
- Embedded Power Supply Brand: Daxin

Product Description:

Manufactured in Shenzhen, this communication power supply is built to the highest standards of quality and durability. Designed for outdoor use, it is made of materials that can withstand harsh weather conditions and resist corrosion. The one compartment cabinet layout also ensures that the product is easy to install and maintain, making it an ideal choice for communication networks that require reliable power in challenging environments.

The input voltage of this communication power supply ranges from 100-240V, making it compatible with a wide range of power sources. This means that it can be used in different locations without the need for additional equipment, making it a versatile and cost-effective solution for communication network operators.

In addition, this communication power supply features an industrial PC power supply that provides stable and reliable power to a variety of communication devices. This ensures that there are no interruptions in communication due to power fluctuations or surges, making it an essential component in any communication network.

The packaging details of this communication power supply include a wooden pallet and a cardboard box, ensuring that it arrives at its destination in good condition. This makes it easy to transport and store, making it a convenient choice for communication network operators who need to move and install equipment in different locations.

In summary, the One Compartment Cabinet Layout Communication Network Supply for Outdoor Powder Coating is a reliable and efficient conversation energy unit that provides stable and consistent power to a variety of communication devices. Manufactured in Shenzhen to the highest standards of quality and durability, it is an ideal choice for communication network operators who need to ensure uninterrupted communication in challenging environments. With its versatile input voltage range, industrial PC power supply, and convenient packaging details, this communication power supply is a cost-effective and reliable solution for any communication network.

Features:

- Product Name: Communication Power Supply
 - FAQ: Brand name: Daxin, Model number: DX-C-1k20AH
 - Applications:
 - Industrial PC power supply
 - Satellite communication
 - Broadband power distribution unit
 - Temperature Range: -40°C To 55°C
 - Industrial PC Power Supply: Yes
 - Features:
 - Wireless Power Supply Unit
 - Telecom Power Module
 - Digital Communication Power Adapter
- This communication power supply is a speech supply source, radioing energy device, and communication power supply.

Technical Parameters:

| | |
|---------------------------------|---|
| Product Name: | One Compartment Cabinet Layout Communication Network Supply for Outdoor Powder Coating |
| Product Category: | Communication Power Supply |
| Applications: | Industrial PC power supply, satellite communication, broadband power distribution unit |
| Features: | Wireless Power Supply Unit, Telecom Power Module, Digital Communication Power Adapter |
| Supply Ability: | 5000 units |
| Certifications: | CE and UL |
| Mount Way: | 19-inch Mount |
| FAQ: | Brand name: Daxin, Model number: DX-C-1k20AH |
| Technical Support and Services: | Installation and setup assistance, troubleshooting and problem-solving, repair and maintenance services, product upgrades and updates, warranty and out-of-warranty support |
| Industrial PC Power Supply: | Yes |

This is a communication power supply product that can be used as a speech supply source, radioing energy device, and network power device.

Applications:

The DX-C-1k20AH is manufactured in Shenzhen, a city known for its electronics manufacturing industry. It has a minimum order quantity of 10 units and a price of \$2850, making it an affordable choice for businesses of all sizes. Payment terms include L/C and T/T, and it has a supply ability of up to 5000 units.

The product is packaged securely with a wooden pallet and cardboard box to ensure it arrives in pristine condition. Its internal dimension of WxDxH 482.3x380x44mm makes it compact and easy to install.

The DX-C-1k20AH is designed specifically for communication power supply. It is perfect for use in occasions and scenarios where a stable and reliable power source is needed, such as data centers, telecommunication rooms, and network cabinets. Its embedded power supply brand ensures that it is of the highest quality and reliability.

Investing in the DX-C-1k20AH Communication Power Supply from Daxin is a wise choice for any business that values efficiency, reliability, and safety.

Support and Services:

The Communication Power Supply product comes with a variety of technical support and services to ensure optimal performance and customer satisfaction. These include:

24/7 technical support hotline

Online technical resources, including user manuals and troubleshooting guides

Product training and certification programs for installers and technicians

Warranty and repair services, including on-site support and replacement parts

Customized service agreements to meet specific customer needs

Our team of experienced professionals is dedicated to providing exceptional support and service to our customers. Contact us for more information on our technical support and service options.

Packing and Shipping:

Product Packaging:

Communication Power Supply

Power cord

User manual

Shipping:

Shipping will be done within 2 business days of receiving the order.

Product will be shipped via standard ground shipping.

Shipping cost will be calculated at checkout based on destination and weight.

For any inquiries regarding shipping, please contact our customer support team.

FAQ:

A: The brand name of the communication power supply is **daxin** .

2. Q: What is the model number of the communication power supply?

A: The model number of the communication power supply is **DX-C-1k20AH** .

3. Q: What certifications does the communication power supply have?

A: The communication power supply has **CE** and **UL** certifications.

4. Q: Where is the communication power supply made?

A: The communication power supply is made in **shenzhen** .

5. Q: What is the minimum order quantity for the communication power supply?

A: The minimum order quantity for the communication power supply is **10** .

6. Q: What is the price of the communication power supply?

A: The price of the communication power supply is **\$2850** .

7. Q: What are the payment terms for the communication power supply?

A: The payment terms for the communication power supply include **L/C** and **T/T** .


8. Q: What is the supply ability for the communication power supply?

A: The supply ability for the communication power supply is **5000** .

9. Q: What are the packaging details for the communication power supply?

A: The packaging details for the communication power supply include a **wooden pallet** and a **cardboard box** .





Main equipment for cabinet processing (Three main equipment)



Laser

- 1500W: 1tower
- 3000W: 2tower



TRUMATIC500- Fully Automatic

- Fast data punching: 4 units with automatic loading and unloading



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- Japan AMADA: 7 units with automatic loading and unloading
- Model: EM-2510NT/AC-2510NT

Key process - general punching, bending, and riveting workshop



- Japan AMADA: 25 units
- Model: RG-35S



- TOX riveting machine: 24 units



- Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)



- Copper bar integrated machine: 2 units
- Model: LID-30
- Features: high-precision automatic cutting and punching



Key Process - Welding Workshop




Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.



Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (automatic powder spraying)

Automatic Line 1

Characteristics of Spray Line:

- ◆ **Characteristics of Spray Line:** The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard. The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard.
- ◆ **Automatic spraying:** Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ **Equipment resources:** 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors.
- ◆ **Daily production capacity:** 15,000 to 20,000 square meters per day.



Automatic Line 2

Automatic Line 3

Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet with assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line




Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

■ Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Trial water process diagram

Test water



Shenzhen Daxin Intelligent
Equipment Technology Co., Ltd

Shenzhen Daxin Intelligent Equipment Technology Co., Ltd

+86 15817363697

lubenzhi@sdxzh.com

power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen