



Daxin Embedded Communication Power Supply for Outdoor Surface Applications

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: shenzhen
- Brand Name: daxin
- Certification: CE,UL
- Model Number: DX-C-1k20AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden pallet+cardboard box
- Payment Terms: L/C, T/T
- Supply Ability: 10000pcs/month



Product Specification

- Product Name: Embedded Communication Power Supply
- Embedded Power Supply Brand: Daxin
- Input Voltage: 100-240V
- Mount Way: 19-inch Mount
- Humidity Range: 10% To 95%
- Shipping: Free Within The United States, International Shipping Rates Apply, Ships Within 1-2 Business Days, Tracking Information Will Be Provided Via Email
- Installation Method: Floor Installed
- Industrial PC Power Supply: Yes

Product Description

Embedded Communication Power Supply Product Description:

The communication power supply is manufactured by Shenzhen Daxin, a trusted and reputable brand in the power supply industry. This product is designed to meet the high demands of modern communication systems and is built to last. The Mtp Connector RI of this product is $\geq 60\text{dB}$, ensuring clear and uninterrupted communication.

Features:

Product Name: Communication Power Supply
 Cabinet Layout: One Compartment
 Input Voltage: 100-240V
 ATM Power Supply: Yes
 Mount Way: 19-inch Mount
 Certifications: CE, UL

The Communication Power Supply is a communicating electrical power source designed with a one compartment layout. It operates with an input voltage range of 100-240V and includes an ATM power supply for added convenience. The unit is designed for 19-inch mount and is certified by both CE and UL.

Upgrade your system with the reliable performance of the Communicating Electrical Power System, featuring the Communication Power Supply unit. Efficient and effective, this power supply delivers consistent power to keep your system running smoothly.

Technical Parameters:

Supply Ability	5000
Input Voltage	100-240V
ATM Power Supply	Yes
Capacity	48V/10A~150A
Minimum Order Quantity	10
Technical Support and Services	Troubleshooting, Repair and Replacement, Software Updates and Upgrades, Technical Consultation, Maintenance and Servicing
Temperature Range	-40°C To 55°C
Humidity Range	10% To 95%
Manufacturer	Shenzhen
Installation Method	Floor Installed

Applications:

With its CE and UL certification, you can be sure that this product meets the highest standards for safety and quality. The DX-C-1k20AH is manufactured in Shenzhen, a hub for technology and innovation in China, and has a minimum order quantity of 10 units. At a price of 2850 USD, this product is an affordable and effective solution for your communication power needs.

Payment terms for the DX-C-1k20AH include L/C and T/T, and the product has a supply ability of 5000 units. Packaging details include a wooden pallet and cardboard box to ensure safe transportation and handling. The product is designed to be installed on the floor and has a single compartment cabinet layout.

The DX-C-1k20AH is an industrial PC power supply, making it suitable for use in a variety of industrial settings. Whether you need a reliable power source for your communication system, or you are looking for a way to keep your factory running smoothly, this product is an excellent choice.

The DX-C-1k20AH is a communication electrical power source that can be used in a variety of scenarios. Whether you are setting up a new communication center, or you need a backup power source for your factory, this product is an excellent choice. The product is designed to provide a communicating electrical power system that is both reliable and efficient, ensuring that your critical systems stay up and running at all times.

Each DX-C-1k20AH Communication Power Supply unit comes with a power cord and user manual, making it easy to install and use. If you are looking for a reliable and efficient communication power system, the DX-C-1k20AH is an excellent choice.

Support and Services:

The Communication Power Supply product technical support and services provided by our company include:

- Assistance with installation, setup, and configuration
- Troubleshooting and diagnosis of technical issues
- Replacement and repair of faulty or damaged components
- Regular maintenance and firmware updates
- Technical training and education for users and technicians
- 24/7 customer support and help desk services

Packing and Shipping:

Product Packaging:

- The Communication Power Supply will be packaged in a sturdy cardboard box.
- The box will be filled with protective materials to prevent damage during transit.
- The product will be wrapped in bubble wrap to provide additional protection.

Shipping:

- The product will be shipped via a reputable courier service.
- The shipping cost will be calculated based on the destination and weight of the product.
- The estimated delivery time will be provided to the customer.
- A tracking number will be provided so the customer can track their package.

FAQ:

Q: What is the brand name of this communication power supply?

A: The brand name is daxin.

Q: What is the model number of this power supply?

A: The model number is DX-C-1k20AH.

Q: Does this power supply come with any certifications?

A: Yes, it has CE and UL certifications.

Q: Where is this communication power supply manufactured?

A: It is manufactured in Shenzhen.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity is 10.

Q: What is the price of this communication power supply?

A: The price is \$2850.

Q: What are the payment terms for this product?


A: The payment terms are L/C and T/T.

Q: What is the supply ability for this product?

A: The supply ability is 5000.

Q: What are the packaging details for this product?

A: The packaging details are wooden pallet+cardboard box.



Main equipment for cabinet processing (Three main equipment)



Laser



TRUMATIC500- Fully Automatic



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- > 1500W: 1tower
- > 3000W: 2tower

- > Fast data punching: 4 units with automatic loading and unloading

- > Japan AMADA: 7 units with automatic loading and unloading
- > Model: EM-2510NT/AC-2510NT

Key process - general punching, bending, and riveting workshop



- > Japan AMADA: 25 units
- > Model: RG-35S



- > TOX riveting machine: 24 units



- > Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)



- > Copper bar integrated machine: 2 units
- > Model: LID-30
- > Features: high-precision automatic cutting and punching



Key Process - Welding Workshop




Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.



Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (automatic powder spraying)



Automatic Line 1



Characteristics of Spray Line:

- ◆ Characteristics of Spray Line: The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard. The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard.
- ◆ Automatic spraying: Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ Equipment resources: 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors.
- ◆ Daily production capacity: 15,000 to 20,000 square meters per day



Automatic Line 2



Automatic Line 3

Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet with assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line



Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

■ Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Shenzhen Daxin Intelligent
Equipment Technology Co., Ltd

Shenzhen Daxin Intelligent Equipment Technology Co., Ltd



+86 15817363697



lubenzhi@szdxzh.com



power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen