



19-inch Mount Communication Power Supply -40°C To 55°C Mtp Connector RI ≥60dB

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: shenzhen
- Brand Name: daxin
- Certification: CE,UL
- Model Number: DX-C-1k20AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden Pallet+Cardboard Box
- Payment Terms: L/C, T/T
- Supply Ability: 10000pcs/month



Product Specification

- Mtp Connector RI: ≥60dB
- Humidity Range: 10% To 95%
- Capacity: 48V/10A~150A
- Technical Support And Services: Troubleshooting, Repair And Replacement, Software Updates And Upgrades, Technical Consultation, Maintenance And Servicing
- Applications: Telecommunication Adapter, Telecom Power Module, Broadband Power Distribution Unit
- Internal Dimension: W×D×H 482.3×380×44mm
- Certifications: CE, UL

Product Description:

The Communication Power Source is capable of providing a steady flow of power to the communication devices that are installed in the system. This ensures that the devices are always operational and are able to transmit and receive data without any interruptions. The power supply is available in a range of capacities, from 48V/10A to 150A, allowing it to meet the power requirements of any communication system.

The Communication Power System is designed for installation on the floor and can be mounted in a 19-inch rack. This installation method ensures that the power supply is secure and stable, and also allows for easy access to the unit for maintenance and troubleshooting. The product packaging includes the Communication Power Supply unit, a power cord, and a user manual. The user manual provides detailed information on how to install, configure, and maintain the power supply to ensure that it operates efficiently and reliably.

The ATM Power Supply feature of this product ensures that it is compatible with ATM machines and other communication devices that require a steady and reliable power supply. This feature ensures that the communication devices are always operational, which is essential for businesses that rely on these devices for their day-to-day operations.

In summary, the Communication Power Supply is an essential component of any Communicating Electrical Power System. It provides a steady and reliable flow of power to the communication devices and systems that are critical for the operation of modern businesses and organizations. The installation method of the power supply is designed for floor installation and can be mounted in a 19-inch rack. The product packaging includes the Communication Power Supply unit, a power cord, and a user manual. The product is also equipped with an ATM Power Supply feature, making it compatible with a range of communication devices.

Features:

Product Name: Communication Power Supply

Humidity Range: 10% To 95%

Manufacturer: Shenzhen

Applications:

Telecommunication Adapter

Telecom Power Module

Broadband Power Distribution Unit

Cabinet Layout: One Compartment

ATM Power Supply: Yes

Communications Electrical Power Supply, Communications Electrical Power Supply, Communicating Electrical Power Supply

Technical Parameters:

Product Name:	Communicating Electrical Power System
Product Category:	Communication Power Supply
ATM Power Supply:	Yes
Supply Ability:	5000
Installation Method:	Floor Installed
Input Voltage:	100-240V
Technical Support and Services:	Troubleshooting, Repair and Replacement, Software Updates and Upgrades, Technical Consultation, Maintenance and Servicing
Certifications:	CE, UL
Mtp Connector RI:	≥60dB
Shipping:	Free within the United States, International shipping rates apply, Ships within 1-2 business days, Tracking information will be provided via email
Minimum Order Quantity:	10

Applications:

Whether you're looking to power an industrial PC, an ATM, or any other type of electronic device or system, the DX-C-1k20AH is up to the task. With a capacity of 48V/10A~150A, this communicating electrical power unit is capable of handling even the most demanding power requirements with ease.

In addition to its impressive performance capabilities, the DX-C-1k20AH is also incredibly easy to use and maintain. It comes equipped with a range of advanced features and technologies that make it simple to install, operate, and troubleshoot, even for users who are new to working with power supplies.

Thanks to its compact, one-compartment cabinet layout, this embedded power supply is also easy to integrate into a wide range of different settings and environments, from small offices and workspaces to large industrial facilities and data centers.

And with its CE and UL certifications, you can rest assured that this communications electrical power source meets the highest standards

for safety and reliability, making it an excellent choice for anyone who values quality and performance.

The DX-C-1k20AH is available for a minimum order quantity of 10 units, with a price of \$2850 per unit. Payment terms include L/C and T/T, and the supply ability is 5000 units per month. Packaging details include a wooden pallet and cardboard box for added protection during shipping and handling.

So if you're in need of a high-quality, reliable communications electrical power source for your next project or application, be sure to check out the DX-C-1k20AH by dacin today.

Support and Services:

The Communication Power Supply product technical support and services include:

24/7 technical support

Product installation guidance

Product troubleshooting and repair services

Product warranty and maintenance services

Product training and certification programs

Packing and Shipping:

Product Packaging:

1 Communication Power Supply Unit

1 Power Cable

1 User Manual

Shipping:

Shipping Method: Standard Shipping

Estimated Delivery Time: 3-5 business days

Shipping Cost: Free

FAQ:

Q1: What is the brand name of the power supply?

A1: The brand name of the power supply is dacin.

Q2: What is the model number of the power supply?

A2: The model number of the power supply is DX-C-1k20AH.

Q3: What certifications does the power supply have?

A3: The power supply is certified with CE and UL.

Q4: Where is the power supply made?

A4: The power supply is made in shenzhen.

Q5: What is the minimum order quantity for the power supply and how is it packaged?


A5: The minimum order quantity for the power supply is 10 and it is packaged in a wooden pallet+cardboard box.

Price: \$2850

Payment Terms: L/C, T/T

Supply Ability: 5000





Main equipment for cabinet processing (Three main equipment)



Laser

- 1500W: 1tower
- 3000W: 2tower



TRUMATIC500- Fully Automatic

- Fast data punching: 4 units with automatic loading and unloading



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- Japan AMADA: 7 units with automatic loading and unloading
- Model: EM-2510NT/AC-2510NT

Key process - general punching, bending, and riveting workshop



- Japan AMADA: 25 units
- Model: RG-35S



- TOX riveting machine: 24 units



- Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)




- Copper bar integrated machine: 2 units
- Model: LID-30
- Features: high-precision automatic cutting and punching



Key Process - Welding Workshop




Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.



Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (automatic powder spraying)

Automatic Line 1

Characteristics of Spray Line:

- ◆ **Characteristics of Spray Line:** The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard
- ◆ **Automatic spraying:** Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ **Equipment resources:** 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors;
- ◆ **Daily production capacity:** 15,000 to 20,000 square meters per day



Automatic Line 2

Automatic Line 3

Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line




Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

■ Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Trial water process diagram

Test water



Shenzhen Daxin Intelligent
Equipment Technology Co., Ltd

Shenzhen Daxin Intelligent Equipment Technology Co., Ltd



+86 15817363697



lubenzhi@sdxzh.com



power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen