# OEM ODM Industrial Telecommunications Power Supplies 12V Rack Mounted

#### **Basic Information**

Place of Origin: shenzhenBrand Name: daxin

• Certification: CE,UL

Model Number: DX-C-1k20AH

 Minimum Order Quantity: 10

• Packaging Details: Wooden pallet+cardboard box

• Payment Terms: L/C, T/T

• Supply Ability: 10000pcs/month







### **Product Specification**

Cabinet Layout: One Compartment

• Embedded Power Daxin

Supply Brand:

• Temperature Range: -40°C To 55°C

Mtp Connector RI: ≥60dB

Capacity: 48V/10A~150A
 Humidity Range: 10% To 95%
 Manufacturer: Shenzhen

• Highlight: OEM Telecommunications Power Supplies,

**Rack Mounted Telecom Power Supplies** 

#### **Product Description**

#### Industrial PC Power Supply High Voltage Dc Power Supply for Outdoor Powder Coating

#### **Product Description:**

One key feature of this Communication Power Supply product is its outdoor powder coating surface that makes it suitable for use in outdoor environments. This feature enhances its durability and ensures that it can withstand harsh weather conditions, making it ideal for use in remote areas where telecommunication equipment requires reliable power supply.

The Communication Power Supply has a high voltage power supply that provides a stable and consistent power supply for various telecommunication equipment. With a supply ability of 5000 units, this power supply module is ideal for use in various telecommunication applications that require high-quality power supply units. Additionally, it has CE and UL certifications, making it safe and reliable for use in various telecom applications.

The Power conversion module for monitoring cameras/communication/government units/factories is an essential product for telecommunication service providers, government agencies, and various industries that require reliable and efficient power supply for their equipment. Whether you are operating a communication network, monitoring cameras, or operating government units, this Communication Power Supply product is ideal for providing high-quality power supply.

#### Features:

Product Name: Communication Power Supply

Payment Terms: L/C and T/T

Internal Dimension: W×D×H 482.3×380×44mm

Support and Services:

Troubleshooting and diagnosis of product issues Repair and replacement of faulty components

Software updates and upgrades

Technical consultation for product integration and installation

Maintenance and servicing of the product

Shipping:

Free shipping within the United States

International shipping rates apply

Ships within 1-2 business days

Tracking information will be provided via email

Mtp Connector RI: ≥60dB

Product Attributes: High Voltage Power Supply, Emergency Light Power Supply, AC Switching Power Supply

#### **Technical Parameters:**

Manufacturer:	Shenzhen
Industrial PC Power Supply:	Yes
Input Voltage:	100-240V
Temperature Range:	-40°C To 55°C
Packaging Details:	Wooden pallet+cardboard box
Embedded Power Supply Brand:	Daxin
Cabinet Layout:	One Compartment
Humidity Range:	10% To 95%
Shipping:	Free within the United States, International shipping rates apply, Ships within 1-2 business days, Tracking information will be provided via email
Installation Method:	Floor Installed
Output:	AC Switching Power Supply, AC DC Power Supply, Instrument Power Supply

#### **Applications:**

Whether you need an AC switching power supply for your industrial PC or for your communication equipment, this power supply can meet your needs. It has a temperature range of -40°C to 55°C, so it can operate in a wide range of environments.

The daxin DX-C-1k20AH Communication Power Supply is perfect for use in factories, warehouses, and other industrial settings where reliable power is essential. It can be used to power a variety of communication equipment, including routers, switches, and other networking devices.

With a minimum order quantity of 10 and a price of \$2850, this power supply is affordable and accessible for businesses of all sizes. Payment terms include L/C and T/T, and the supply ability is 5000 units.

The packaging details include a wooden pallet and cardboard box, ensuring that your power supply arrives safely and securely. Shipping is free within the United States, and international shipping rates apply. The product ships within 1-2 business days, and tracking information will be provided via email.

When it comes to embedded power supply brands, daxin is a trusted name in the industry. The daxin DX-C-1k20AH Communication Power Supply is just one example of the company's commitment to quality and reliability.

Overall, the daxin DX-C-1k20AH Communication Power Supply is an excellent choice for anyone in need of a reliable and versatile power supply for their communication equipment. With its CE and UL certifications, you can trust that this product is safe and reliable for use in a variety of industrial applications.

#### **Support and Services:**

#### Packing and Shipping:

#### **Product Packaging:**

1 Communication Power Supply unit

1 Power cord

User manual

Shipping:

Shipping method: Standard ground shipping

Shipping carrier: UPS

Estimated delivery time: 3-5 business days

Shipping cost: Free

#### FAQ:

Q1: What is the brand name of the Communication Power Supply?

A1: The brand name of the Communication Power Supply is daxin.

Q2: What is the model number of the Communication Power Supply?

A2: The model number of the Communication Power Supply is DX-C-1k20AH.

Q3: What certifications does the Communication Power Supply have?

A3: The Communication Power Supply has CE and UL certifications.

Q4: Where is the Communication Power Supply made?

A4: The Communication Power Supply is made in Shenzhen.

Q5: What is the minimum order quantity for the Communication Power Supply and what is the price?

A5: The minimum order quantity for the Communication Power Supply is 10 and the price is \$2850.

Payment terms are L/C and T/T. The supply ability is 5000 and the packaging details include a wooden pallet and a cardboard box.





### Main equipment for cabinet processing (Three main equipment)







TRUMATIC500- Fully Automatic



**TRUMATIC500- Fu**lly Automatic Japan AMADA - Fully Automatic

1500W: 1tower 3000W: 2tower > Fast data punching: 4 u nits with automatic loading and unloading

➤ Japan AMADA: 7 units wi th automatic loading and unloading ➤ Model: EM-2510NT/AC-25 10NT

### Key process - general punching, ben ding, and riveting workshop



Model: RG-35S



> TOX riveting m



Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrat ed Cutting and Punching Machine)



- > Copper bar integrated machine: 2 units > Model: LID-30 > Features: high-precisi on automatic cutting and punching







### **Key Process - Welding Workshop**



Fully automatic, 360 degree rotating welding line features: Welding accu racy: Welding displacement less tha n 1.5 mm, welding flip angle less tha n 0.1 degrees. Welding software: Ou r self-developed welding control sof tware v1.3 version can store up to 1 28 welding programs. Scan the prod uct code to initiate the welding prog ram, automatically switch between d ual platforms, seamlessly connect, a nd achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Weldi ng capacity: 11 fully automatic weldi ng robots and 47 welders. Monthly output of 20000 to 25000 cabinets.

## **Key Process - Polishing Workshop**

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
  Manual polishing stations: 15, with manpower allocated according to the product structure.





### Key process - Metal parts electroplating worksh op (automated assembly line)

Central Conve



ing, automatic production line, tunnel oven, and packaging into a whole assembly I ine to reduce the intermediate loa ding and unloading process and d

Remote con trol platform



nitoring and control, and schedules realtime production

Pre processing p

rocedure

With a total length of 35 meters, it can simultane ously address each issue point of various alumin

Set up 13 copper plating tanks to si multaneously electroplate 65 units o f products. Each set of 5 units is equi pped with an independent 1500A 48 Fully automatic conver V communication rectifier.

Copper plating pr

oduction process

X-ray thickness measu rement equipment



Fischer film thickness gauge imported fro m Germany.

Tin plating productio n process



Use tin plating with methyl s ulfonic acid, re placing the pr evious sulfuric acid-based pla ting process.


sion vehicle



Perfectly connect three fully autom ated production lines into an auto mated production platform



tin-plating



nickel plating silver-plated chrome plating tin-plating



### Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)







Ubenzhi@szdxzh.com power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen