



48v Dc Switching Power Supply Telecom rectifier Module With CE UL Certifications

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: shenzhen
- Brand Name: daxin
- Certification: CE,UL
- Model Number: DX-C-1k20AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden pallet+cardboard box
- Payment Terms: L/C and T/T
- Supply Ability: 10000pcs/month



Product Specification

- Embedded Power Supply Brand: Daxin
- Shipping: Free Within The United States, International Shipping Rates Apply, Ships Within 1-2 Business Days, Tracking Information Will Be Provided Via Email
- Industrial PC Power Supply: Yes
- Capacity: 48V/10A~150A
- Internal Dimension: WxDxH 482.3x380x44mm
- Highlight: **48v Dc Telecom Rectifier Module, UL Certificated Telecom Power Supply**

Product Description:

Our Communication Power Supply product boasts an internal dimension of W×D×H 482.3×380×44mm, making it compact enough to fit into any communication setup without taking up too much space. It also features a 19-inch mount, allowing for easy installation into any standard communication rack.

With CE and UL certifications, you can rest assured that our Communication Power Supply product is of the highest quality and meets all relevant safety standards. Its DC DC switching power supply ensures reliable and stable power delivery, making it the perfect choice for critical communication systems that require uninterrupted power.

Our Communication Power Supply product is also designed to operate in a wide range of humidity conditions, from 10% to 95%. This means that it can withstand harsh environmental conditions and remain operational even in extreme weather conditions.

Our Communication Power Supply product is the perfect choice for any communication setup that requires a high-quality, reliable power supply. With a supply ability of 5000 units, we can meet the needs of even the largest communication installations.

If you're looking for a power supply that can deliver reliable and stable power to your communication systems, look no further than our Communication Power Supply product. With its high voltage power supply, industrial PC power supply, and DC DC switching power supply, it's the perfect choice for any communication setup that demands the best.

Features:

Product Name: Communication Power Supply

Internal Dimension: W×D×H 482.3×380×44mm

Certifications: CE and UL

Power Supply Type: DC DC Switching Power Supply

Cabinet Layout: One Compartment

Mount Way: 19-inch Mount

Surface: Outdoor Powder Coating

Technical Parameters:

Product Name	Power conversion module for monitoring cameras/communication/government units/factories
Temperature Range	-40°C To 55°C
Manufacturer	Shenzhen
Payment Terms	L/C and T/T
Applications	Telecommunication Adapter, Telecom Power Module, Broadband Power Distribution Unit, CCTV Power Supply Adapter, 12V 1A Power Supply
Shipping	Free within the United States, International shipping rates apply, Ships within 1-2 business days, Tracking information will be provided via email
Certifications	CE and UL
Cabinet Layout	One Compartment
Support and Services	Troubleshooting and diagnosis of product issues, Repair and replacement of faulty components, Software updates and upgrades, Technical consultation for product integration and installation, Maintenance and servicing of the product
Internal Dimension	W×D×H 482.3×380×44mm

Applications:

The price of this product is 2850, and payment terms are L/C and T/T. The supply ability of this product is 5000 units, making it readily available for customers. The packaging details of this product include a wooden pallet and a cardboard box, which ensures the product's safety during shipping. The product's humidity range is between 10% to 95%, which makes it suitable for use in different environments. The dacin DX-C-1k20AH Communication Power Supply product is designed to be mounted using a 19-inch mount, and it can be installed

on the floor. This product is ideal for various applications, including CCTV power supply adapter, emergency light power supply, and desktop power supply unit. The product's MTP connector RL is $\geq 60\text{dB}$, ensuring that the device can transmit data efficiently. The Communication Power Supply product is a versatile device that can be used in different scenarios and occasions. For instance, the device can be used in offices, homes, factories, and other settings. The product is designed to provide reliable and efficient power supply, making it ideal for CCTV power supply adapter, emergency light power supply, and desktop power supply unit applications.

Support and Services:

Our Communication Power Supply product comes with technical support and services to ensure that our customers receive the best possible experience with our product. Our technical support team is available to provide assistance with any installation, configuration, or troubleshooting questions that may arise. We also offer repair and replacement services for any faulty products within the warranty period. In addition, we provide training services to help our customers understand the features and capabilities of our Communication Power Supply product.

Packing and Shipping:

Product Packaging:

1 Communication Power Supply unit

1 Power cord

User manual and documentation

Shipping:

Ships within 2 business days

Standard shipping time is 3-5 business days

Tracking information will be provided

Shipping cost will be calculated at checkout

FAQ:

Q: What is the brand name of this communication power supply?

A: The brand name is daxin.

Q: What is the model number of this communication power supply?

A: The model number is DX-C-1k20AH.

Q: What certifications does this communication power supply have?

A: This communication power supply is certified with CE and UL.

Q: Where is this communication power supply made?

A: This communication power supply is made in shenzhen.

Q: What is the minimum order quantity for this communication power supply?

A: The minimum order quantity is 10 units.

Q: What is the price of this communication power supply?

A: The price is \$2850.

Q: What are the payment terms for this communication power supply?

A: The payment terms are L/C and T/T.


Q: What is the supply ability of this communication power supply?

A: The supply ability is 5000 units.

Q: What are the packaging details for this communication power supply?

A: The packaging details are wooden pallet+cardboard box.





Main equipment for cabinet processing (Three main equipment)



Laser

- 1500W: 1tower
- 3000W: 2tower



TRUMATIC500- Fully Automatic

- Fast data punching: 4 units with automatic loading and unloading



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- Japan AMADA: 7 units with automatic loading and unloading
- Model: EM-2510NT/AC-2510NT

Key process - general punching, bending, and riveting workshop



- Japan AMADA: 25 units
- Model: RG-35S



- TOX riveting machine: 24 units



- Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)




- Copper bar integrated machine: 2 units
- Model: LID-30
- Features: high-precision automatic cutting and punching



Key Process - Welding Workshop




Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.



Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (automatic powder spraying)



Automatic Line 1



Characteristics of Spray Line:

- ◆ **Characteristics of Spray Line:** The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard. The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard.
- ◆ **Automatic spraying:** Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ **Equipment resources:** 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors.
- ◆ **Daily production capacity:** 15,000 to 20,000 square meters per day.



Automatic Line 2



Automatic Line 3

Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet with assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line




Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

■ Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Trial water process diagram

Test water



Shenzhen Daxin Intelligent
Equipment Technology Co., Ltd

Shenzhen Daxin Intelligent Equipment Technology Co., Ltd

+86 15817363697

lubenzhi@sdxzh.com

power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen