



Rustproof Backup Power System Cabinet For Monitoring Cameras And Communication

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: SHENZHEN
- Brand Name: daxin
- Certification: CE
- Model Number: ODC-210909
- Minimum Order Quantity: 10
- Packaging Details: Wooden crate/cardboard box
- Delivery Time: 30 days
- Payment Terms: t/t
- Supply Ability: 10000pcs/month



Product Specification

- Applications: Suitable For Powering Solar Powered Cameras, Communication Systems, Government Units, Factories, And Other Devices
- Product Name: Backup Power System Cabinet
- Output Voltage (v): AC 110V/220V
- Support And Services: Comprehensive Technical Support And Services Including Installation, Commissioning, Maintenance, Repair, And Training
- Load Power (w): Customized
- Packing And Shipping: Woodcase
- Specification: Customized
- Application: Photovoltaic Complementary Power Conversion Module For Monitoring

Product Description

Rustproof Backup Power System Cabinet For Monitoring Cameras And Communication

Product Description:

The UPS Cabinets output an AC voltage of 110V/220V, with a load power of 10kw, making it suitable for powering solar-powered devices and other equipment during emergencies. Our product is designed to provide uninterrupted power supply, ensuring that your devices stay functional even during power outages.

Our UPS Cabinets come with comprehensive technical support and services, including installation, commissioning, maintenance, repair, and training. We ensure that our customers receive the best possible support and services to ensure that our product meets their requirements.

In summary, our Power Protection Enclosure, Emergency Power Supply Cabinet, or UPS Enclosure is a reliable and efficient solution for backup power. With its Photovoltaic complementary power conversion module, it is suitable for powering various devices and equipment during emergencies. Our product comes with comprehensive technical support and services, ensuring that our customers receive the best possible assistance.

Features:

Product Name: UPS Cabinets

Output Voltage (v): AC 110V/220V

Features: Photovoltaic complementary power conversion module for monitoring cameras/communication/government units/factories

Packing and Shipping: Secure packaging and shipping via freight carrier with delivery time of 5-7 business days

Support and Services: Comprehensive technical support and services including installation, commissioning, maintenance, repair, and training

Load Power (w): 10kw

Electrical Backup Cabinet

Backup Power System Cabinet

Surge Protector Cabinet

Technical Parameters:

Product Name:	ATS distribution cabinet / DC row head cabinet / UPS distribution cabinet/Non standard customization
Product Description:	Industrial And Commercial Energy Storage System
Product Category:	UPS Cabinets
Load Power (w):	10kw
Output Voltage (v):	AC 110V/220V
Applications:	Suitable for powering solar powered cameras, communication systems, government units, factories, and other devices
Features:	Photovoltaic complementary power conversion module for monitoring cameras/communication/government units/factories
Specification:	5kw
Support and Services:	Comprehensive technical support and services including installation, commissioning, maintenance, repair, and training
Packing and Shipping:	Secure packaging and shipping via freight carrier with delivery time of 5-7 business days

Applications:

Daxin's UPS Cabinets provide reliable and efficient power protection for a variety of applications. The ODC-210909C2T-200AH model is CE certified and made in Shenzhen, with a minimum order quantity of 10 units and a price of \$6000 USD per unit.

These Emergency Power Supply Cabinets are suitable for powering solar-powered cameras, communication systems, government units, factories, and other devices that require a stable and uninterrupted power supply. With a specification of 5kw, these Power Protection Enclosures ensure that your devices are protected from power fluctuations and outages.

When you purchase a Daxin UPS Cabinet, you not only receive a high-quality product, but also comprehensive technical support and services, including installation, commissioning, maintenance, repair, and training. Our team of experts is dedicated to ensuring that your power needs are met with the utmost professionalism and care.

Our UPS Cabinets are securely packaged in wooden crates or cardboard boxes and shipped via freight carrier with a delivery time of 5-7 business days. With a supply ability of 10,000 Taiwan/month, you can trust that your order will be fulfilled in a timely manner.

Invest in a Daxin Voltage Regulator Cabinet today to ensure the uninterrupted operation of your critical devices and systems.

Product Attributes:

Brand Name: Daxin

Model Number: ODC-210909C2T-200AH

Certification: CE

Place of Origin: Shenzhen

Minimum Order Quantity: 10

Price: \$6000 USD

Payment Terms: T/T

Supply Ability: 10,000 Taiwan/month

Packaging Details: Wooden crate/cardboard box

Delivery Time: 30 days

Applications: Suitable for powering solar-powered cameras, communication systems, government units, factories, and other devices

Support and Services: Comprehensive technical support and services including installation, commissioning, maintenance, repair, and training

Specification: 5kw

Packing and Shipping: Secure packaging and shipping via freight carrier with delivery time of 5-7 business days

Product Category: UPS Cabinets

Support and Services:

Our UPS cabinets are designed to provide reliable and efficient power protection for your critical systems. Our technical support team is available to assist with any questions or issues you may encounter. We offer a range of services to ensure your UPS cabinets are functioning at optimal levels, including installation, maintenance, and repair. Our technicians are highly trained and knowledgeable, and use only genuine parts to ensure the longevity and reliability of your equipment. Contact us today to learn more about our technical support and services for UPS cabinets.

Packing and Shipping:

Product Packaging:

The UPS Cabinets product will be carefully packaged in a sturdy box with ample padding to ensure its safe delivery to your doorstep. The product will be sealed and labeled with all necessary information, including your address and order details.

Shipping:

Our standard shipping method is through UPS Ground. Depending on your location, delivery can take anywhere from 1-5 business days. We also offer expedited shipping options for an additional fee. Once your order is processed and shipped, you will receive a tracking number to monitor the delivery status of your package.

FAQ:

Q: What is the brand name of the UPS cabinets?

A: The brand name of the UPS cabinets is daxin.

Q: What is the model number of the UPS cabinets?

A: The model number of the UPS cabinets is ODC-210909C2T-200AH.

Q: What certifications do the UPS cabinets have?

A: The UPS cabinets are CE certified.

Q: What is the place of origin of the UPS cabinets?

A: The UPS cabinets are made in SHENZHEN.

Q: What is the minimum order quantity for the UPS cabinets?

A: The minimum order quantity for the UPS cabinets is 10.

Q: What is the price of the UPS cabinets?

A: The price of the UPS cabinets is 6000USD.

Q: What are the payment terms for the UPS cabinets?

A: The payment terms for the UPS cabinets are t/t.

Q: What is the supply ability of the UPS cabinets?

A: The UPS cabinets have a supply ability of 10,000 Taiwan/month.

Q: What are the packaging details for the UPS cabinets?

A: The UPS cabinets are packaged in wooden crates or cardboard boxes.

Q: What is the delivery time for the UPS cabinets?

A: The delivery time for the UPS cabinets is 30 days.



*Main equipment for cabinet processing
(Three main equipment)*



Laser



TRUMATIC500- Fully Automatic



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- 1500W: 1tower
- 3000W: 2tower

- Fast data punching: 4 units with automatic loading and unloading

- Japan AMADA: 7 units with automatic loading and unloading
- Model: EM-2510NT/AC-2510NT

Key process - general punching, bending, and riveting workshop



- Japan AMADA: 25 units
- Model: RG-35S



- TOX riveting machine: 24 units



- Puchong: 5 units (160T+250T+300T)




Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)



- Copper bar integrated machine: 2 units
- Model: LID-30
- Features: high-precision automatic cutting and punching




Key Process - Welding Workshop



Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.

Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key Process - Metal Surface Treatment (Fully Automated)

Surface treatment line 1 (parts category)



Surface treatment 2-wire (cabinet type)



Surface treatment 2-wire (cabinet type):

- Full-process foolproofing: Unmanned operation, the system automatically performs surface treatment according to predefined process paths based on different materials, eliminating quality risks caused by human errors.
- Continuous monitoring: The system continuously monitors the pH level of the solution and automatically initiates the addition of the solution based on the monitoring results.
- Monthly capacity: Over 20,000 large cabinets



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (auto
matic powder spraying)



Automatic Line 1



Characteristics of Spray Line:

- ◆ Characteristics of Spray Line: The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard
- ◆ Automatic spraying: Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ Equipment resources: 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors;
- ◆ Daily production capacity: 15,000 to 20,000 square meters per day



Automatic Line 2



Automatic Line 3


Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet with assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line



Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

- Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Trial water process diagram



Test water





+86 15817363697



lubenzhi@szdxzh.com



power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen