

One Compartment Waterproof UPS Battery Cabinet For Factories Power Protection

Our Product Introduction

for more products please visit us on power-cabinets.com

Basic Information

- Place of Origin: SHENZHEN
- Brand Name: daxin
- Certification: CE
- Model Number: ODC-210909C2T-200AH
- Minimum Order Quantity: 10
- Packaging Details: Wooden crate/cardboard box
- Delivery Time: 30 days
- Payment Terms: t/t
- Supply Ability: 10000pcs/month



Product Specification

- Features: Photovoltaic Complementary Power Conversion Module For Monitoring Cameras/communication/government Units/factories
- Product Description: Industrial And Commercial Energy Storage System
- Applications: Suitable For Powering Solar Powered Cameras, Communication Systems, Government Units, Factories, And Other Devices
- Packing And Shipping: Secure Packaging And Shipping Via Freight Carrier With Delivery Time Of 5-7 Business Days
- Load Power (w): 10kw
- Support And Services: Comprehensive Technical Support And Services Including Installation

Product Description

Product Description:

Our UPS Cabinets fall under the Product Category of UPS Cabinets and have a Specification of 5kw, giving you the peace of mind that your equipment is always protected.

What sets our UPS Cabinets apart is our commitment to customer service. We offer Comprehensive technical support and services, including installation, commissioning, maintenance, repair, and training, to ensure that your UPS Enclosure is always working at its optimum level.

Our UPS Cabinets also come equipped with a Photovoltaic complementary power conversion module, making it an ideal solution for monitoring cameras, communication systems, government units, and factories.

Get the ultimate power protection for your critical systems with our UPS Cabinets. Don't leave your equipment vulnerable to power outages or voltage fluctuations. Choose our Battery Backup Cabinet and experience uninterrupted power supply like never before.

Features:

Product Name: UPS Cabinets

Output Voltage (v): AC 110V/220V

Product Description: Industrial And Commercial Energy Storage System

Packing and Shipping: Secure packaging and shipping via freight carrier with delivery time of 5-7 business days

Specification: 5kw

Product Category: UPS Cabinets

The UPS Cabinets are the perfect Emergency Power Supply Cabinet, Backup Power System Cabinet, and Electrical Backup Cabinet for industrial and commercial energy storage needs. With an output voltage of AC 110V/220V and a power specification of 5kw, these cabinets provide reliable backup power in case of an outage. They come securely packaged and shipped via freight carrier, with a delivery time of 5-7 business days.

Technical Parameters:

Specification	5KW
Packing and Shipping	Secure packaging and shipping via freight carrier with delivery time of 5-7 business days
Applications	Suitable for powering solar powered cameras, communication systems, government units, factories, and other devices
Output Voltage (v)	AC 110V/220V
Product Name	ATS distribution cabinet / DC row head cabinet / UPS distribution cabinet/Non standard customization
Product Category	UPS Cabinets
Load Power (w)	10KW
Product Description	Industrial And Commercial Energy Storage System
Features	Photovoltaic complementary power conversion module for monitoring cameras/communication/government units/factories
Support and Services	Comprehensive technical support and services including installation, commissioning, maintenance, repair, and training
Surge Protector Cabinet	N/A
Voltage Regulator Cabinet	N/A
UPS Cabinet	Yes

Applications:

The dixin UPS Cabinets, also known as the UPS Enclosure, Electrical Backup Cabinet, or Battery Backup Cabinet, is a reliable solution for power protection and management. With the model number ODC-210909C2T-200AH, this product is designed to provide uninterrupted power supply and backup for critical applications in various industries.

The dixin UPS Cabinets are CE certified and manufactured in SHENZHEN, ensuring high quality and safety standards. The minimum order quantity for this product is 10 units, and the price is 6000 USD per unit. Payment terms are t/t, and the supply ability is 10,000 Taiwan/month. The product is securely packaged in a wooden crate or cardboard box and delivered within 30 days.

This product has a load power of 10kw and an output voltage of AC 110V/220V, making it suitable for a wide range of applications. The ATS distribution cabinet, DC row head cabinet, UPS distribution cabinet, and non-standard customization are some of the product

application occasions and scenarios.

The daxin UPS Cabinets are ideal for use in data centers, telecommunications, healthcare, finance, and other industries that require continuous, reliable power supply. The product can be customized to meet the specific needs of customers, making it a versatile solution for various applications.

In addition to the product itself, daxin provides comprehensive technical support and services, including installation, commissioning, maintenance, repair, and training. This ensures that customers can maximize the performance and lifespan of their UPS Cabinets. Finally, the UPS Cabinets are shipped via freight carrier with delivery time of 5-7 business days. The product is packed securely to ensure that it arrives in perfect condition, ready to provide uninterrupted power supply and backup to critical applications.

Support and Services:

The UPS Cabinets product comes with comprehensive technical support and services to ensure that you get the most out of your investment. Our team of experts is available to answer any questions you may have and provide assistance with installation, configuration, and troubleshooting. Additionally, we offer regular maintenance services to keep your UPS Cabinets running smoothly and to prevent any potential issues from arising. Our technical support and services are designed to provide you with peace of mind and to help you maximize the efficiency and reliability of your UPS Cabinets.

Packing and Shipping:

Product Packaging:

The UPS Cabinets are securely packaged in durable cardboard boxes.

Each cabinet is wrapped in protective foam to prevent any damages during transportation.

All necessary hardware and instructions are included in the package.

Shipping:

UPS Cabinets are shipped using reliable shipping carriers.

Shipping costs will vary depending on the destination and order quantity.

Orders are typically shipped within 1-2 business days.

Customers will receive a tracking number via email once their order has shipped.

FAQ:

Q1: What is the brand name of the UPS Cabinets?

A1: The brand name of the UPS Cabinets is daxin.

Q2: What is the model number of the UPS Cabinets?

A2: The model number of the UPS Cabinets is ODC-210909C2T-200AH.

Q3: What is the certification of the UPS Cabinets?

A3: The UPS Cabinets are certified by CE.

Q4: What is the place of origin of the UPS Cabinets?

A4: The UPS Cabinets are made in SHENZHEN.

Q5: What is the minimum order quantity of the UPS Cabinets?

A5: The minimum order quantity of the UPS Cabinets is 10.

Q6: What is the price of the UPS Cabinets?

A6: The price of the UPS Cabinets is 6000USD.

Q7: What are the payment terms for the UPS Cabinets?

A7: The payment terms for the UPS Cabinets are t/t.

Q8: What is the supply ability of the UPS Cabinets?

A8: The supply ability of the UPS Cabinets is 10,000 Taiwan/month.

Q9: What are the packaging details of the UPS Cabinets?

A9: The UPS Cabinets are packaged in wooden crates or cardboard boxes.

Q10: What is the delivery time for the UPS Cabinets?

A10: The delivery time for the UPS Cabinets is 30 days.





*Main equipment for cabinet processing
(Three main equipment)*



Laser

- 1500W: 1tower
- 3000W: 2tower



TRUMATIC500- Fully Automatic

- Fast data punching: 4 u
nits with automatic loadin
g and unloading



TRUMATIC500- Fully Automatic
Japan AMADA - Fully Automatic

- Japan AMADA: 7 units wi
th automatic loading and
unloading
- Model: EM-2510NT/AC-25
10NT

Key process - general punching, bending, and riveting workshop



- Japan AMADA: 25 units
- Model: RG-35S



- TOX riveting machine: 24 units



- Puchong: 5 units (160T+250T+300T)




Key Process - Copper and Aluminum Product Workshop (Integrated Cutting and Punching Machine)



- Copper bar integrated machine: 2 units
- Model: LID-30
- Features: high-precision automatic cutting and punching




Key Process - Welding Workshop



Fully automatic, 360 degree rotating welding line features: Welding accuracy: Welding displacement less than 1.5 mm, welding flip angle less than 0.1 degrees. Welding software: Our self-developed welding control software v1.3 version can store up to 128 welding programs. Scan the product code to initiate the welding program, automatically switch between dual platforms, seamlessly connect, and achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Welding capacity: 11 fully automatic welding robots and 47 welders. Monthly output of 20000 to 25000 cabinets.

Key Process - Polishing Workshop

- Automatic polishing machine: 2 units, equipment can be increased according to product demand.
- Manual polishing stations: 15, with manpower allocated according to the product structure.



Key Process - Metal Surface Treatment (Fully Automated)

Surface treatment line 1 (parts category)



Surface treatment 2-wire (cabinet type)



Surface treatment 2-wire (cabinet type):

- Full-process foolproofing: Unmanned operation, the system automatically performs surface treatment according to predefined process paths based on different materials, eliminating quality risks caused by human errors.
- Continuous monitoring: The system continuously monitors the pH level of the solution and automatically initiates the addition of the solution based on the monitoring results.
- Monthly capacity: Over 20,000 large cabinets



Key process - Metal parts electroplating workshop (automated assembly line)



Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (auto
matic powder spraying)



Automatic Line 1



Characteristics of Spray Line:

- ◆ Characteristics of Spray Line: The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard
- ◆ Automatic spraying: Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
- ◆ Equipment resources: 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors;
- ◆ Daily production capacity: 15,000 to 20,000 square meters per day



Automatic Line 2



Automatic Line 3


Key Process - Product Assembly Workshop



Large cabinet assembly line



Small cabinet with assembly line



IPX6 Spray Water Testing System



Small chassis wiring assembly line



Outdoor cabinet product assembly line



High voltage product assembly line

Key process - outdoor cabinet waterproof testing assembly line

- Pipeline standard: IPX1-IPX5 waterproof rating, which can be adjusted and matched according to product requirements.



Trial water process diagram



Test water





+86 15817363697



lubenzhi@szdxzh.com



power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen