Photovoltaic Energy Storage System For Solar Power Generation And Storage IP55 Rated

Basic Information

Place of Origin: SHENZHEN

Brand Name: daxinCertification: CE

Model Number: ODC-210909C2T-200AH

• Minimum Order 1 pcs

Quantity:

• Packaging Details: Woodcase/ Paper box

• Delivery Time: 15-25 days

• Payment Terms: T/T

• Supply Ability: 10000pcs/month



Product Specification

• Protection Level: IP55

• Product Name: 500W Cooling Capacity Industrial And

Commercial Energy Storage System CE

Certified For Outdoor Events

Product Category: Industrial And Commercial Energy Storage

System

Manufacturer: Shenzhen

Name: Photovoltaic Energy Storage System For

Solar Power Generation And Storage

• Highlight: Photovoltaic Energy Storage System,

Solar Power Generation Energy Storage System , Solar Power Generation Storage System



More Images



Photovoltaic energy storage system for solar power generation and storage

Product Description:

The BESS Energy Storage System is designed to work seamlessly with renewable energy sources such as solar and wind power. It is capable of storing excess energy generated during periods of low demand and releasing it during peak hours, thus reducing energy costs and improving overall energy efficiency. The system is equipped with a 500W air conditioning unit, which ensures that the system operates efficiently even in harsh outdoor environments.

The Industrial and Commercial Energy Storage System is CE certified, ensuring that it meets the highest safety and quality standards. The system is also designed to be easy to install, operate, and maintain. It comes with intelligent controls that allow users to monitor and control the energy storage system remotely, making it an ideal solution for applications that require remote monitoring and control. The minimum order quantity for the Industrial and Commercial Energy Storage System is 10 units, making it a cost-effective solution for large-scale commercial and industrial applications. The product category for this system is Industrial and Commercial Energy Storage System, making it an ideal solution for a wide range of applications.

The price of the 500W Cooling Capacity Industrial and Commercial Energy Storage System CE Certified for Outdoor Events is \$1900, making it an affordable solution for businesses and organizations that require reliable and efficient energy storage solutions. With its advanced features and robust design, the Industrial and Commercial Energy Storage System is a top-of-the-line energy storage solution that is built to last

Photovoltaic energy storage system for solar power generation and storage

Features:

Product Name: Industrial And Commercial Energy Storage System
Product Category: Industrial And Commercial Energy Storage System

Brand Name: daxin Price: \$1900 Applications: Telecommunications Transportation Renewable Energy Outdoor Events

Model Number: ODC-210909C2T-200AH

Features

Industrial and Commercial Energy Storage System All-in-one Commercial Energy Storage Cabinet

Provides reliable and efficient power for various applications

Designed for easy installation and maintenance

Long-lasting and high-performance lithium-ion batteries

Intelligent battery management system for optimal performance and safety

Compatible with solar panels for Home Solar Energy Storage System

Photovoltaic energy storage system for solar power generation and storage

Technical Parameters:

Brand Name:	daxin
Minimum Order Quantity:	10
Certification:	CE
Price:	1900
Product Name:	500W Cooling Capacity Industrial And Commercial Energy Storage System CE Certified for Outdoor Events
Layout:	2 Compartments

Jacket Od:	3.0mm
Cooling Capacity:	500W (air conditioner)
Manufacturer:	Shenzhen
Applications:	Telecommunications, Transportation, Renewable Energy, Outdoor Events

Photovoltaic energy storage system for solar power generation and storage

Applications:

This energy storage system is ideal for use in a variety of different scenarios and occasions. It is suitable for use in factories and warehouses where there is a high demand for energy, as well as in office buildings and shopping centers. It can also be used in hospitals and other medical facilities where uninterrupted power supply is critical.

The daxin Industrial and Commercial Energy Storage System is also an ideal solution for grid power peak shaving, demand response, and frequency regulation. It can be used in conjunction with renewable energy sources such as wind turbines and solar panels, making it a great choice for home solar energy storage systems.

The product's internal size is W×D×H 900×900×2150mm, with a layout of 2 compartments. It has a protection level of IP55, which makes it suitable for use in harsh environments. The product is delivered in a wooden crate or cardboard box and has a minimum order quantity of 10 units. The price of the daxin Industrial and Commercial Energy Storage System is 6000 USD, and payment terms are T/T. daxin has a supply ability of up to 10,000 units per month, and delivery time is 30 days. The product is designed to provide a reliable and efficient energy storage solution for a wide range of applications. Whether you are looking for a home battery energy storage system, industrial and commercial energy storage system, or a home solar energy storage system, the daxin ODC-210909C2T-200AH Industrial and Commercial Energy Storage System is the perfect choice.

Photovoltaic energy storage system for solar power generation and storage

Support and Services:

The Industrial and Commercial Energy Storage System product offers technical support and services to ensure reliable performance and optimal operation. Our team of experts is available to provide assistance with installation, commissioning, and ongoing maintenance. We offer regular system monitoring and analysis to identify any potential issues and provide timely solutions to prevent downtime. Our technical support team is also available to provide training to ensure that your staff is fully equipped to operate and maintain the system. Additionally, we offer remote support and troubleshooting services to quickly resolve any issues that may arise.

Photovoltaic energy storage system for solar power generation and storage

Packing and Shipping:

Product Packaging:

The Industrial And Commercial Energy Storage System will be packaged securely to ensure safe transportation. The components will be carefully placed inside a sturdy cardboard box with appropriate cushioning materials to prevent any damage during shipping. Shipping:

This product will be shipped via a reputable carrier service to ensure timely and safe delivery. The shipping cost will be calculated based on the weight and destination of the package. Customers will receive a tracking number to monitor the status of their shipment. Delivery times may vary depending on the location of the customer, but we strive to deliver all orders as quickly as possible.

Photovoltaic energy storage system for solar power generation and storage

FAQ:

- Q: What is the brand name of this energy storage system?
- A: The brand name is daxin.
- Q: What is the model number of this energy storage system?
- A: The model number is ODC-210909C2T-200AH.
- Q: Does this energy storage system have any certification?
- A: Yes, it has CE certification.
- Q: Where is this energy storage system manufactured?
- A: It is manufactured in SHENZHEN.
- Q: What is the minimum order quantity for this energy storage system?
- A: The minimum order quantity is 10 units.
- Q: What is the price of this energy storage system?
- A: The price is 6000USD.
- Q: What are the payment terms for purchasing this energy storage system?
- A: The payment terms are t/t.
- Q: What is the supply ability of this energy storage system?
- A: The supply ability is 10,000 Taiwan/month.
- Q: How long does it take to deliver this energy storage system?
- A: The delivery time is 30 days.
- Q: How is this energy storage system packaged?
- A: It is packaged in a wooden crate or cardboard box.





80kWh 100kWh 120kWh 130kWh

Battery Specifications							
Model No	R80K	R100K	R120K	R130K			
Nominal Capacity	81.92kWh	102.4kWh	122.88kWh	133.12kWh			
Cell Matching	128S1P	160S1P	192S1P	208S1P			
Nominal Voltage	409.6V	512V	614.4V	665.6V			
Working Voltage Range	176~233.6V	264~350V	440 ~ 584V	598 ~ 728V			
Weight	969.6kgs / 2138 lbs	1172kgs / 2584 lbs	1294.4kgs / 2854 lbs	1456.8kgs / 3212 lbs			
Dimension (W*D*H)	1700*1200*1700mm / 66.9*47.2*66.9 in						
Battery Type	LiFePO4 Battery						
Nominal Working Current	100A						
Communication Port	CAN/TCP/IP						
Working Temperature Range	Charge:0-55°C/Discharge:-20-55°C						
Waterproof	IP20						
Installation Method	Floor-standing						
Cycle Life	6500						
Peak Charge/Discharge Current (@25°C,5S)	200A						
Discharge Rate of Module	<3.5%/month/@25°C						





Main equipment for cabinet processing (Three main equipment)



Laser



TRUMATIC500- Fully Automatic



TRUMATIC500- Fully Automatic Japan AMADA - Fully Automatic

- > 1500W: 1tower > 3000W: 2tower
- > Fast data punching: 4 u nits with automatic loadin g and unloading
- ➤ Japan AMADA: 7 units wi th automatic loading and unloading ➤ Model: EM-2510NT/AC-25 10NT

Key process - general punching, ben ding, and riveting workshop



➤ Japan AMADA: 25 uni ts ➤ Model: RG-35S



> TOX riveting m achine: 24 units



Puchong: 5 units (160T+250T+300T)



Key Process - Copper and Aluminum Product Workshop (Integrat ed Cutting and Punching Machine)



- ➤ Copper bar integrated machine: 2 units
 ➤ Model: LID-30
 ➤ Features: high-precisi on automatic cutting and punching








Key Process - Welding Workshop



Fully automatic, 360 degree rotating welding line features: Welding accu racy: Welding displacement less tha n 1.5 mm, welding flip angle less tha n 0.1 degrees. Welding software: Ou r self-developed welding control sof tware v1.3 version can store up to 1 28 welding programs. Scan the prod uct code to initiate the welding prog ram, automatically switch between d ual platforms, seamlessly connect, a nd achieve uninterrupted welding. Welding dimensions: Product height 2.8 meters, width 1.5 meters. Weldi ng capacity: 11 fully automatic weldi ng robots and 47 welders. Monthly output of 20000 to 25000 cabinets.

Key Process - Polishing Workshop

- ◆Automatic polishing machine: 2 units, equipment can be increased according to product demand.
 ◆Manual polishing stations: 15, with manpower allocated according to the product structure.





Key Process - Metal Surface Treatment (Fully Automated)


Surface treatment line 1 (parts category)







Surface treatment 2-wire (cabinet



ring results.
• Monthly capacity: Over 20, 000 large cabinets



Key process - Metal parts electroplating worksh op (automated assembly line)

Central Conve yor Platform



ing, automatic production line, tunnel oven, and packaging into a whole assembly | nitoring and control, ine to reduce the intermediate loa ding and unloading process and d

tin-plating

Remote con trol platform



Enables remote mo and schedules realtime production

nickel plating silver-plated chrome plating tin-plating

tin-plating

Pre processing p rocedure



With a total length of 35 meters, it can simultane ously address each issue point of various alumin

tin-plating



Copper plating pr oduction process



Set up 13 copper plating tanks to si multaneously electroplate 65 units o f products. Each set of 5 units is equi pped with an independent 1500A 48 Fully automatic conver communication rectifier.

X-ray thickness measu rement equipment



Fischer film thickness gauge imported fro m Germany.

Tin plating productio n process



Use tin plating with methyl s Ifonic acid, re placing the pr evious sulfuric acid-based pla ting process.

sion vehicle



Perfectly connect three fully autom ated production lines into an auto mated production platform

Key process - Spray painting workshop (3 main lines+1 auxiliary line/small batch)

Reciprocating machine (auto

tin-plating







Automatic Line

Automatic Line 1





Characteristics of Spray Line:

- haracteristics of Spray Line:
 Characteristics of Spray Line: The system monitors the furnace temperature in reall-time, and when the oven temperature does not meet the standard The system monitors the furnace temperature in real-time, and when the oven temperature does not meet the standard.
 Automatic spraying: Reciprocating machine automatic spraying ensures uniform thickness and aesthetic appearance of the coating.
 Equipment resources: 3 main lines+1 auxiliary line, which can simultaneously meet the needs of different colors:

- ors;

 Daily production capacity:
 15,000 to 20,000 square meter
 s per day





Shenzhen Daxin Intelligent Equipment Technology Co., Ltd Shenzhen Daxin Intelligent Equipment Technology Co., Ltd



+86 15817363697



lubenzhi@szdxzh.com



power-cabinets.com

Green Base Industrial Park, Longtian Street, Pingshan District, Shenzhen